

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Bituminous mixtures - Asphalt Concrete.

placed on the market under the name or trade mark of

#### Roadstone Ltd

Fortunestown, Belgard, Dublin, Ireland

and produced in the manufacturing plant

#### **Roadstone Ltd**

Fortunestown, Belgard, Dublin, Ireland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 13108-1:2006 + EN 13108-1:2006/AC:2008

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 23 October 2023 until 22 October 2026

and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 1. Certified with SGS since 23 October 2023

Organization certified since 12 April 2010 and first certified by SGS on 23 October 2023.

Authorised by

Luis Neves

Certification Management

Authorised by Luis Santos

Certification Management

SGS ICS - Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, lote 11, nº 1, 1600-604 Lisboa – Portugal

 $t + 351\ 217104200\ Email: pt.info@sgs.com - www.sgs.pt$ 

Pac acreditação

> C0001 ISO/IEC 17065 Produtos





In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Bituminous mixtures - Asphalt Concrete for Very Thin Layers.

placed on the market under the name or trade mark of

#### Roadstone Ltd

Fortunestown, Belgard, Dublin, Ireland

and produced in the manufacturing plant

#### **Roadstone Ltd**

Fortunestown, Belgard, Dublin, Ireland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 13108-2:2006 + EN 13108-2:2006/AC:2008

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 23 October 2023 until 22 October 2026

and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 1. Certified with SGS since 23 October 2023

Organization certified since 12 April 2010 and first certified by SGS on 23 October 2023.

Authorised by

Luis Neves

Certification Management

Authorised by Luis Santos

Certification Management

SGS ICS - Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, lote 11, nº 1, 1600-604 Lisboa – Portugal

 $t + 351\ 217104200\ Email: pt.info@sgs.com - www.sgs.pt$ 

PAC acreditação

> C0001 ISO/IEC 17065 Produtos





In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Bituminous mixtures - Hot Rolled Asphalt.

placed on the market under the name or trade mark of

#### Roadstone Ltd

Fortunestown, Belgard, Dublin, Ireland

and produced in the manufacturing plant

#### **Roadstone Ltd**

Fortunestown, Belgard, Dublin, Ireland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 13108-4:2006 + EN 13108-4:2006/AC:2008

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 23 October 2023 until 22 October 2026

and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 1. Certified with SGS since 23 October 2023

Organization certified since 12 April 2010 and first certified by SGS on 23 October 2023.

Authorised by

Luis Neves

Certification Management

Authorised by Luis Santos

Certification Management

SGS ICS - Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, lote 11, nº 1, 1600-604 Lisboa – Portugal

t +351 217104200 Email: pt.info@sgs.com - www.sgs.pt

Pac acreditação

> C0001 ISO/IEC 17065 Produtos





In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Bituminous mixtures - Stone Mastic Asphalt.

placed on the market under the name or trade mark of

#### Roadstone Ltd

Fortunestown, Belgard, Dublin, Ireland

and produced in the manufacturing plant

#### **Roadstone Ltd**

Fortunestown, Belgard, Dublin, Ireland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 13108-5:2006 + EN 13108-5:2006/AC:2008

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 23 October 2023 until 22 October 2026

and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 1. Certified with SGS since 23 October 2023

Organization certified since 12 April 2010 and first certified by SGS on 23 October 2023.

Authorised by

Authorised by Luis Neves Luis Santos

Certification Management Certification Management

SGS ICS - Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, lote 11, nº 1, 1600-604 Lisboa – Portugal

t +351 217104200 Email: pt.info@sgs.com - www.sgs.pt

acreditação

C0001 ISO/IEC 17065





In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Bituminous mixtures - Porous Asphalt.

placed on the market under the name or trade mark of

#### Roadstone Ltd

Fortunestown, Belgard, Dublin, Ireland

and produced in the manufacturing plant

#### **Roadstone Ltd**

Fortunestown, Belgard, Dublin, Ireland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 13108-7:2006 + EN 13108-7:2006/AC:2008

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 23 October 2023 until 22 October 2026

and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 1. Certified with SGS since 23 October 2023

Organization certified since 12 April 2010 and first certified by SGS on 23 October 2023.

Authorised by

Luis Neves

Certification Management

Authorised by Luis Santos

Certification Management

SGS ICS - Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, lote 11, nº 1, 1600-604 Lisboa – Portugal

 $t + 351\ 217104200\ Email: pt.info@sgs.com - www.sgs.pt$ 

PAC acreditação

> C0001 ISO/IEC 17065 Produtos





## **DECLARATION OF PERFORMANCE**

## Aggregates for use in Bituminous Mixtures and Surface treatments

#### **Belgard**

1. Unique identification code of the product type:

| Code    | Description | Category   |
|---------|-------------|--|
| 1571002 | 20/31.5mm   | G <sub>C</sub> 85/20                                     |
| 1571003 | 10/20mm     | G <sub>C</sub> 85/20                                     |
| 1571005 | 6.3/14mm    | G <sub>C</sub> 85/20                                     |
| 1571007 | 4/10mm      | G <sub>C</sub> 85/20                                     |
| 1571008 | 2/6.3mm     | G <sub>C</sub> 85/20                                     |
| 1570002 | 0/4mm (CP)  | G <sub>A</sub> 85/G <sub>TC</sub> 20 - G <sub>F</sub> 85 |

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

Production details can be traced via dispatch docket.

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

I.S. EN 13043: 2013: Aggregates for use in Bituminous Mixtures and Surface treatments.

S.R17: 2002 Guidance on the use of I.S EN 13043

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Roadstone Ltd. Fortunestown Dublin 24

- 5. Not Applicable
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 4

7. Notified certification body:

SGS (identification No. 1029) performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control, and issued the certificate of constancy of conformity of the factory production control.

#### 8. Declared Performance

| Declared Performance | Harmonised Technical Specification  |
|----------------------|---|
| 2.82Mg/m3            | I.S. EN 1097  |
| 2.78Mg/m3            | I.S. EN 1097  |
| 2.76Mg/m3            | I.S. EN 1097  |
| F4                   | I.S. EN 933   |
| F16                  | I.S. EN 933   |
| FI <sub>15</sub>     | I.S. EN 933-3   |
| MB <sub>1</sub>      | I.S. EN 933-9   |
| 0.5%                 | I.S. EN 1097  |
| C <sub>100/0</sub>   | I.S. EN 933-5   |
| LA <sub>20</sub>     | I.S. EN 1097-2  |
| PSV44                | I.S. EN 1097-8  |
| AAV <sub>10</sub>    | I.S. EN 1097-8 Annex A  |
| MDE25                | I.S. EN 1097-1  |
| MS <sub>18</sub>     | I.S. EN 1367-2  |
| 0.01                 | I.S. EN 1367-4  |
| S <sub>1</sub>       | I.S. EN 1744-1  |
| Non-reactive         |   |
| AS <sub>0.2</sub>    | I.S. EN 1744-1  |
| 0.001%               | I.S. EN 1744-1  |
| Limestone            |   |
|                      | 2.82Mg/m3 2.78Mg/m3 2.76Mg/m3 F4 F16 F115 MB1 0.5% C100/0 LA20 PSV44 AAV10 MDE25 MS18 0.01 S1 Non-reactive AS0.2 0.001% |

**9.** The performance of the product identified in points 1 and 2 conforms with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of Roadstone Ltd.

#### Signed for and on behalf of the manufacturer by:

Alan Lowe, Technical Director, Roadstone Ltd. (Name and Function)

Belgard, 02/01/2025 (Place and Date of Issue)

Alan lowe



# Roadstone Ltd. Fortunestown Dublin 24 13 Certification Body SGS 1029 RL DoP-B-BD-01

## I.S. EN 13043: 2013: Aggregates for use in Bituminous Mixtures and Surface treatments

| Characteristic                              | Declared Performance |
|---|----------------------|
| Apparent Density                            | 2.82Mg/m3            |
| S.S. Dry Density                            | 2.78Mg/m3            |
| Oven Dry Density                            | 2.76Mg/m3            |
| Fines Content (Coarse agg)                  | F4                   |
| Fines Content (Fine agg)                    | F16                  |
| Flakiness Index (NA 2/6.3mm&0/4mm)          | FI <sub>15</sub>     |
| Methylene Blue Value                        | MB <sub>1</sub>      |
| Water Absorption                            | 0.5%                 |
| Percentage crushed and broken               | C100/0               |
| Resistance to fragmentation                 | LA <sub>20</sub>     |
| Resistance to Polishing Wear/Attrition      | PSV44                |
| Resistance to Abrasion                      | AAV <sub>10</sub>    |
| Resistance to Wear                          | MDE25                |
| Resistance to freezing and thawing          | MS <sub>18</sub>     |
| Drying Shrinkage %                          | 0.01                 |
| Total Sulfur                                | S <sub>1</sub>       |
| Durability against Alkali-Silica reactivity | Non-reactive         |
| Sulphate Content (Acid Soluble)             | AS <sub>0.2</sub>    |
| Chloride Content (Water Soluble)            | 0.001%               |
| Rock Type                                   | Limestone            |

Page 3 of 3 RL.DOP-B-BD-01